CLAIMS

I claim:

5 1. The compound of the following formula

$$R^1$$
 E
 L^4
 R^2
 L^3
 L^4
 L^3
 L^4
 L^4

wherein

Z comprises the residue of a solid polymer support;

- L¹ comprises a divalent group of the formula O-, -NH-, -O-CH₂-C₆H₄-CH₂O-;
- L² and L³ comprise, independently, alkylene, alkenylene, alkynylene, or a direct single bond;

$$L_4$$
 comprises alkylene, -O-, -S-, -C(O)-, -S(O)-, -S(O)₂-, , or a direct single or double bond;

- PG comprises hydrogen or an amino protecting group;
- R¹ and R² comprise, independently, alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, hydrogen, halo, -O-G³, -O-G⁴, -G³, -G⁴, or -N(G³)G⁴;
- R^1 and R^2 may be taken together to constitute a cycloalkyl or heterocyclyl ring, or, where L^4 is a direct bond, R^1 and R^2 may be taken together to constitute a fused aryl or heteroaryl ring; G^3 and G^4 comprise, independently,

115

20

$$L^{10}$$
 R^{14} L^{11} R^{13} , or

$$O = L^{12} - R^{15}$$
;

where

5

4.10

15

L⁷, L⁸, L⁹, L¹⁰, L¹¹, L¹² comprise, independently, alkylene, alkenylene, alkynylene, cycloalkylene, cycloalkenylene, arylene, heterocyclylene, heteroarylene, fused

cycloalkylarylene, fused cycloakylheteroarylene, fused heterocyclylarylene, fused heterocyclylheteroarylene, or a direct bond; and

R¹⁰, R¹¹, R¹², R¹³, R¹⁴, R¹⁵ comprise, independently, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, heterocyclyl, heteroaryl, aryl, fused cycloalkylaryl, fused cycloakylheteroaryl,

fused heterocyclylaryl, fused heterocyclylheteroaryl, -NR¹⁸R¹⁹, -OR¹⁸, -SR¹⁸, or hydrogen, where R¹⁸ and R¹⁹ are as defined below;

R¹⁸ and R¹⁹ comprise, independently, hydrogen, alkyl, alkynyl, alkenyl, cycloalkyl, cycloalkenyl, aryl, heterocyclyl, or heteroaryl.

2. The compound of claim 1, wherein the groups L², L³, L⁴, E, and K comprise a ring with 3 to 8 members.

3. The compound of claim 2, wherein PG is selected from the group consisting of t-butoxycarbonyl, 9-fluorenylmethoxycarbonyl, and benzyloxycarbonyl.

4. The compound of claim 2, wherein E and K are -CH-, represented by the formula

$$\begin{array}{c|c}
R^1 & L^4 & R^2 \\
 & L^2 & L^3 \\
 & R^2 & L^3 \\
 & R^2 & L^3 & L^4 \\
 & R^2 & L^3 & L^4 & L^4 \\
 & R^2 & L^3 & L^4 & L^4 & L^4 \\
 & R^2 & L^3 & L^4 & L^4 & L^4 & L^4 \\
 & R^2 & L^3 & L^4 & L^4 & L^4 & L^4 & L^4 \\
 & R^2 & L^3 & L^4 & L^4 & L^4 & L^4 & L^4 & L^4 \\
 & R^2 & L^3 & L^4 \\
 & R^2 & L^3 & L^4 & L^$$

20

and wherein,

L² and L³ comprise, independently, -CH₂-, -CH₂CH₂-, or a direct single bond;

L⁵ comprises CH₂CH₂- or -CH₂CH₂CH₂-;

R¹ and R² comprises, independently, alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclyl, aryl, 25 heteroaryl, hydrogen, halo, -O-G³, -O-G⁴, -G³, -G⁴, or -N(G³)G⁴;

 R^1 and R^2 may be taken together to constitute a cycloalkyl or heterocyclyl ring; G^3 and G^4 comprise, independently,

$$\begin{array}{c}
0 \\
 & L^{10} - R^{14} \\
 & L^{11} - R^{13}, \text{ or}
\end{array}$$

where

5

10

15

L⁷, L⁸, I¹⁰, L¹¹, L¹² comprise, independently, alkylene, alkenylene, alkynylene, cycloalkylene, cycloalkenylene, arylene, heterocyclylene, heteroarylene, fused cycloalkylarylene, fused cycloakylheteroarylene, fused heterocyclylheteroarylene, or a direct bond; and

 R^{10} , R^{11} , R^{13} , R^{14} , R^{15} comprise, independently, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkyl, heterocyclyl, heterocyclyl, fused cycloalkylaryl, fused cycloakylheterocryl, fused heterocyclylaryl, fused heterocyclylheterocryl, -NR¹⁸R¹⁹, -OR¹⁸, -SR¹⁸, or hydrogen, where R^{18} and R^{19} are as defined below;

R¹⁸ and R¹⁹ comprise, independently, hydrogen, alkyl, alkynyl, alkenyl, cycloalkyl, cycloalkenyl, aryl, heterocyclyl, or heteroaryl.

5. The compound of claim 4 of the formula

wherein Z comprises the Wang resin.

6. The compound of claim 4 of the formula

7. The compound of claim 4 of the formula

wherein Z comprises the Wang resin.

8. The compound of claim 4 of the formula

5

10

wherein Z comprises the Merrifield resin.

9. The compound of claim 4 of the formula

wherein Z comprises the Wang resin.

10. The compound of claim 4 of the formula

wherein Z comprises the Wang resin.

11. The compound of claim 4 of the formula

12. The compound of claim 4 of the formula

wherein Z comprises the Merrifield resin.

13. The compound of claim 4 of the formula

5


10

wherein Z comprises the Wang resin.

14. The compound of claim 4 of the formula

wherein Z comprises the Wang resin.

15. The compound of claim 4 of the formula



wherein Z comprises the Merrifield resin.

16. The compound of claim 4 of the formula

wherein Z comprises the Merrifield resin.

17. The compound of claim 4 of the formula

OH

H. N | Z

Boc O

- 5 wherein / comprises the Wang resin.
 - 18. The compound of claim 4 of the formula

HO. Z

wherein / comprises the Wang resin.

19. The compound of claim 4 of the formula

OH

H, N | Z

Boc O

10

wherein Z comprises the Merrifield resin.

20 The compound of claim 4 of the formula

wherein Z comprises the Merrifield resin.

15 21. The compound of claim 4 of the formula

wherein Z comprises the Wang resin.

22 The compound of claim 4 of the formula

- 5 wherein Z comprises the Wang resin.
 - 23 The compound of claim 4 of the formula

wherein Z comprises the Merrifield resin.

24 The compound of claim 4 of the formula

10

wherein Z comprises the Merrifield resin.

25. The compound of claim 4 of the formula

wherein / comprises the Wang resin.

15 26. The compound of claim 4 of the formula

wherein Z comprises the Wang resin.

27. The compound of claim 4 of the formula

5 wherein Z comprises the Merrifield resin.

28. The compound of claim 4 of the formula

wherein Z comprises the Merrifield resin.

29. The compound of claim 2, wherein E and K are CH-, represented by the formula

$$R^1$$
 L^2
 L^3
 L^1
 Z
 PG
 Q

and wherein,

10

L² and L³ comprise, independently, -CH₂-, -CH₂CH₂-, or a direct single bond;

 L^4 comprises O-, -S-, -S(O)-, or -S(O)₂-;

R¹ and R² comprise, independently, alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclyl, aryl,

heteroaryl, hydrogen, halo, $-O-G^3$, $-O-G^4$, $-G^3$, $-G^4$, or $-N(G^3)G^4$;

R¹ and R² may be taken together to constitute a heterocyclyl ring;

 G^3 and G^4 comprise, independently,

$$\begin{array}{c|c}
C & & & & \\
C &$$

where

:10

15

5 L⁷, I⁸, L¹⁰, L¹¹, L¹² comprise, independently, alkylene, alkenylene, alkynylene, cycloalkylene, cycloalkenylene, arylene, heterocyclylene, heteroarylene, fused cycloalkylarylene, fused cycloakylheteroarylene, fused heterocyclylheteroarylene, or a direct bond; and

R¹⁰, R¹¹, R¹³, R¹⁴, R¹⁵ comprise, independently, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, heterocyclyl, heterocyclyl, fused cycloalkylaryl, fused cycloakylheterocyclylaryl, fused heterocyclylheterocycly

R¹⁸ and R¹⁹ comprise, independently, hydrogen, alkyl, alkynyl, alkenyl, cycloalkyl, cycloalkenyl, aryl, heterocyclyl, or heteroaryl.

30 The compound of claim 29 of the formula

wherein Z comprises the Wang resin.

31. The compound of claim 29 of the formula

wherein Z comprises the Wang resin.

32 The compound of claim 29 of the formula

wherein Z comprises the Merrifield resin.

33. The compound of claim 29 of the formula

- 5 wherein Z comprises the Merrifield resin.
 - 34 The compound of claim 29 of the formula

wherein Z comprises the Wang resin.

35 The compound of claim 29 of the formula

1 i 10

wherein Z comprises the Wang resin.

36. The compound of claim 29 of the formula

wherein Z comprises the Merrifield resin.

15 37. The compound of claim 29 of the formula

38 The compound of claim 29 of the formula

wherein Z comprises the Wang resin.


39. The compound of claim 29 of the formula

wherein Z comprises the Wang resin.

40 The compound of claim 29 of the formula

wherein Z comprises the Merrifield resin.

41 The compound of claim 29 of the formula



wherein Z comprises the Merrifield resin.

42. The compound of claim 2, wherein E comprises CH-, K comprises N-, L³ comprises

CH₂CH₂-, L⁴ comprises a direct single bond, represented by the formula

5

10

$$R^1$$
 R^2
 R^1
 R^2
 R^2

and wherein,

L² comprises -CH₂-, -CH₂CH₂-, or a direct single bond;

 $R^1 \ comprises \ alkyl, \ alkenyl, \ alkynyl, \ cycloalkyl, \ heterocyclyl, \ aryl, \ heteroaryl, \ hydrogen,$

5 halo, $-O-G^3$, $-G^3$, or $-N(G^3)G^4$:

 R^2 comprises alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, hydrogen, or $-G^5$;

 R^1 and R^2 may be taken together to constitute a heterocyclyl ring;

 G^3 and G^4 comprise, independently,

10

$$L^{10}-R^{14}$$
 $L^{11}-R^{13}$, or

$$O-L^{12}-R^{15}$$

where

R¹⁰, R¹¹, R¹³, R¹⁴, R¹⁵ comprise, independently, alkyl, alkenyl, alkynyl, cycloalkyl,

cycloalkenyl, heterocyclyl, heteroaryl, aryl, fused cycloalkylaryl, fused cycloakylheteroaryl, fused heterocyclylaryl, fused heterocyclylheteroaryl, -NR¹⁸R¹⁹, -OR¹⁸, -SR¹⁸, or hydrogen, where R¹⁸ and R¹⁹ are as defined below;

 R^{18} and R^{19} comprise, independently, hydrogen, alkyl, alkynyl, alkenyl, cycloalkyl, cycloalkenyl, aryl, heterocyclyl, or heteroaryl;

G⁵ comprises

$$L^8-R^{11}$$
, or

$$O-L^{12}-R^{15}$$

where

10

15

L⁷, L⁸, L¹² comprise, independently, alkylene, alkenylene, alkynylene, cycloalkylene, cycloalkenylene, arylene, heterocyclylene, heteroarylene, fused cycloalkylarylene, fused heterocyclylarylene, fused heterocyclylheteroarylene, or a direct bond; and

R¹⁰, R¹¹, R¹⁵ comprise, independently, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, heterocyclyl, heteroaryl, aryl, fused cycloalkylaryl, fused cycloakylheteroaryl, fused heterocyclylaryl, fused heterocyclylheteroaryl, -NR¹⁸R¹⁹, -OR¹⁸, -SR¹⁸, or hydrogen, where R¹⁸ and R¹⁹ are as defined below;

 R^{18} and R^{19} comprise, independently, hydrogen, alkyl, alkynyl, alkenyl, cycloalkyl, cycloalkenyl, aryl, heterocyclyl, or heteroaryl.

43. The compound of claim 42 of the formula

wherein Z comprises the Wang resin.


44. The compound of claim 42 of the formula

wherein Z comprises the Wang resin.

45. The compound of claim 42 of the formula

wherein Z comprises the Merrifield resin.

46. The compound of claim 42 of the formula



5

wherein Z comprises the Merrifield resin.


47. The compound of claim 42 of the formula

wherein Z comprises the Wang resin.

48. The compound of claim 42 of the formula

wherein Z comprises the Merrifield resin.

49. The compound of claim 42 of the formula



- wherein Z comprises the Wang resin.
 - 50. The compound of claim 42 of the formula

wherein Z comprises the Wang resin.

51. The compound of claim 42 of the formula

- 5 wherein Z comprises the Merrifield resin.
 - 52 The compound of claim 42 of the formula

wherein Z comprises the Merrifield resin.

53. The compound of claim 42 of the formula

10 Fmoc Owherein ∠ comprises the Wang resin.

54. The compound of claim 42 of the formula

wherein Z comprises the Merrifield resin.

55. The compound of claim 2, wherein E comprises—CH₂, K comprises—N-, L³ comprises—CH₂-, L⁴ comprises -CH₂-, represented by the formula

$$R^1$$
 L^2
 R^2
 L^1
 Z
 R^2

and wherein,

L² comprises -CH₂-, -CH₂CH₂-, or a direct single bond;

- 5 R¹ comprises alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, hydrogen, halo, -O-G₃, -G₃, or -N(G₃)G₄;
 - R^2 comprises alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, hydrogen, or $-G^5$;

R¹ and R² may be taken together to constitute a heterocyclyl ring;

10 G³ and G⁴ comprise, independently,

$$L^{10}-R^{14}$$
 $L^{11}-R^{13}$, or

- 15 where
 - L⁷, L⁸, L¹⁰, L¹¹, L¹² comprise, independently, alkylene, alkenylene, alkynylene, cycloalkylene, cycloalkenylene, arylene, heterocyclylene, heterocyclylene, fused cycloalkylarylene, fused cycloakylheteroarylene, fused heterocyclylheteroarylene, or a direct bond; and
- R¹⁰, R¹¹, R¹³, R¹⁴, R¹⁵ comprise, independently, alkyl, alkenyl, alkynyl, cycloalkyl, eycloalkenyl, heterocyclyl, heteroaryl, aryl, fused cycloalkylaryl, fused cycloakylheteroaryl, fused heterocyclylaryl, fused heterocyclylheteroaryl, -NR¹⁸R¹⁹, -OR¹⁸, -SR¹⁸, or hydrogen, where R¹⁸ and R¹⁹ are as defined below;

R¹⁸ and R¹⁹ comprise, independently, hydrogen, alkyl, alkynyl, alkenyl, cycloalkyl, cycloalkenyl, aryl, heterocyclyl, or heteroaryl.

G⁵ comprises

where

5

10

15

 L^{3} , L^{3} , L^{12} are, independently, alkylene, alkenylene, alkynylene, cycloalkylene,

cycloalkenylene, arylene, heterocyclylene, heteroarylene, fused cycloalkylarylene, fused cycloakylheteroarylene, fused heterocyclylarylene, fused heterocyclylheteroarylene, or a direct bond; and

 R^{10} , R^{11} , R^{18} are, independently, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, heterocyclyl, heterocyclyl, fused cycloalkylaryl, fused cycloakylheteroaryl, fused heterocyclylaryl, fused heterocyclylheteroaryl, -NR¹⁸R¹⁹, -OR¹⁸, -SR¹⁸, or hydrogen, where R^{18} and R^{19} are as defined below;

R¹³ and R¹⁹ are, independently, hydrogen, alkyl, alkynyl, alkenyl, cycloalkyl, cycloalkenyl, arvl, heterocyclyl, or heteroaryl.

56. The compound of claim 55 of the formula

wherein Z comprises the Wang resin.

57. The compound of claim 55 of the formula

wherein Z comprises the Wang resin.

58. The compound of claim 55 of the formula

wherein Z comprises the Merrifield resin.

59. The compound of claim 55 of the formula

- 5 wherein Z comprises the Merrifield resin.
 - 60. The compound of claim 55 of the formula

wherein Z comprises the Wang resin.

61. The compound of claim 55 of the formula

10

wherein Z comprises the Merrifield resin.

62. The compound of claim 55 of the formula

wherein Z comprises the Wang resin.

15 63. The compound of claim 55 of the formula

wherein Z comprises the Wang resin.

64. The compound of claim 55 of the formula

wherein Z comprises the Merrifield resin.

65. The compound of claim 55 of the formula

5

wherein Z comprises the Merrifield resin.

66. The compound of claim 55 of the formula

wherein Z comprises the Wang resin.

10 67 The compound of claim 55 of the formula